

REMARKS

Claims 1-12 and 14-20 were pending in this application. Claim 15 has been amended. No claims have been added or canceled.

The Drawings

The drawings have been objected to under 37 C.F.R. §1.83(a) for not showing every feature of the invention specified in the claims. More specifically, the Office Action objected to the language of claim 15. As now amended, claim 15 recites that the lump breaker has an axis which is secant to the second axis. Since this feature is illustrated in Fig. 2, this objection is overcome.

Claim Rejections - 35 U.S.C. §112, Second Paragraph

Claim 15 has been rejected under 35 U.S.C. §112, second paragraph, as being indefinite. As previously described, claim 15 has been amended to recite that the lump breaker has an axis that is secant to the second axis. Hence, the §112, second paragraph rejection is overcome.

Allowable Subject Matter

Applicant gratefully acknowledges the allowance of claims 1-12, 14 and 16-20. Also, claim 15 which has been amended to overcome the §112 rejection is also in condition for allowance.

CONCLUSION


In view of the foregoing, Applicants believe all claims now pending in this Application are in condition for allowance. The issuance of a formal Notice of Allowance at an early date is respectfully requested.

Appl. No. 10/788,788
Amdt. dated January 4, 2007
Reply to Office Action of November 14, 2006

PATENT

If the Examiner believes a telephone conference would expedite prosecution of this application, please telephone the undersigned at 303-571-4000.

Respectfully submitted,



Darin J. Gibby
Reg. No. 38,464

Dated: January 4, 2007

TOWNSEND and TOWNSEND and CREW LLP
Two Embarcadero Center, Eighth Floor
San Francisco, California 94111-3834
Tel: 303-571-4000
Fax: 415-576-0300
DJG/cl

60948881 v1